

**Table 1.5 : Distribution of damaged housing units in the affected GN divisions by type of damage and distance to the sea
: Koralaipattu DS Division of Batticaloe District**

Affected GN Division	Completely Damaged				Partially damaged (Unusable)				Partially damaged (Usable)				Total			
	Within or on the 200m boundary line	Outside the 200m boundary line	Not Identified	Total	Within or on the 200m boundary line	Outside the 200m boundary line	Not Identified	Total	Within or on the 200m boundary line	Outside the 200m boundary line	Not Identified	Total	Within or on the 200m boundary line	Outside the 200m boundary line	Not Identified	Total
Nachivantheevu	1	10	0	11	1	22	0	23	0	167	0	167	2	199	0	201
Valaichenai	0	1	0	1	0	5	0	5	0	28	0	28	0	34	0	34
Pethalai	0	2	0	2	0	0	0	0	0	87	0	87	0	89	0	89
Kalkudah	123	387	1	511	6	79	0	85	0	174	0	174	129	640	1	770
Kalmadu	0	78	0	78	0	31	0	31	0	83	0	83	0	192	0	192
Kumburumoolai	3	4	0	7	11	9	0	20	0	21	0	21	14	34	0	48
D.S. Div. Total	127	482	1	610	18	146	0	164	0	560	0	560	145	1188	1	1334

Source: Department of Census and Statistics