

Table 2.4a: Percentage distribution of *completely damaged housing units* which did not have drinking water facilities after Tsunami by reason for not having water by affected DS divisions\* of : Galle District

Affected DS Division	Main reason for not having drinking facilities					
	Polluted well	Main line destroyed	Other	NS <sup>□</sup>	Total	
	%	%	%	%	No.	%
Bentota	50.0	-	50.0	-	6	100.0
Balapitiya	63.0	30.1	5.1	1.8	894	100.0
Ambalangoda	1.0	78.5	16.0	4.5	344	100.0
Hikkaduwa	29.2	54.8	13.4	2.6	2391	100.0
Galle Four Gravets	3.5	71.1	18.3	7.1	703	100.0
Galle Four Gravets	3.5	71.1	18.3	7.1	703	100.0
Habaraduwa	45.2	29.0	14.9	10.9	547	100.0
<b>Total</b>	<b>38.0</b>	<b>47.2</b>	<b>11.3</b>	<b>3.5</b>	<b>4885</b>	<b>100.0</b>

Source: Department of Census and Statistics

Table 2.4b: Percentage distribution of *partially damaged housing units (unusable)*, which did not have drinking water facilities after Tsunami by reason for not having water by affected DS divisions\* of : Galle District

Affected DS Division	Main reason for not having drinking facilities					
	Polluted well	Main line destroyed	Other	NS <sup>□</sup>	Total	
	%	%	%	%	No.	%
Bentota	-	-	-	-	1	-
Balapitiya	68.7	22.2	6.1	3.0	201	100.0
Ambalangoda	-	100.0	-	-	26	100.0
Hikkaduwa	34.0	51.7	10.9	3.4	479	100.0
Galle Four Gravets	7.3	72.3	9.6	10.8	246	100.0
Galle Four Gravets	7.3	72.3	9.6	10.8	246	100.0
Habaraduwa	44.8	31.0	17.2	7.0	162	100.0
<b>Total</b>	<b>37.6</b>	<b>47.1</b>	<b>10.4</b>	<b>4.9</b>	<b>1115</b>	<b>100.0</b>

Source: Department of Census and Statistics

Table 2.4c: Percentage distribution of *partially damaged housing units (usable)*, which did not have drinking water facilities after Tsunami by reason for not having water by affected DS divisions\* of : Galle District

Affected DS Division	Main reason for not having drinking facilities					
	Polluted well	Main line destroyed	Other	NS <sup>□</sup>	Total	
	%	%	%	%	No.	%
Bentota	88.0	-	12.0	-	39	100.0
Balapitiya	71.2	14.5	13.3	1.0	1479	100.0
Ambalangoda	36.0	56.0	-	8.0	225	100.0
Hikkaduwa	45.1	37.2	13.9	3.8	2826	100.0
Galle Four Gravets	14.4	61.1	16.7	7.8	1117	100.0
Galle Four Gravets	14.4	61.1	16.7	7.8	1117	100.0
Habaraduwa	52.5	17.1	26.1	4.3	959	100.0
<b>Total</b>	<b>52.7</b>	<b>29.0</b>	<b>15.1</b>	<b>3.2</b>	<b>6645</b>	<b>100.0</b>

Source: Department of Census and Statistics

Note: NS<sup>□</sup> - Not Stated

\* Statistics given here are only for the affected DS divisions

\*\* Damaged – Completely damaged, Partially damaged (Unusable), Partially damaged (Usable) building units only were considered damaged.