

Table 2.2a: Percentage distribution of **completely damaged housing units** in affected DS divisions* by condition of the toilet facilities: Gampaha District

Affected DS Division	Condition of the toilet facility					
	Damaged	Not damaged	No latrine	NS [□]	Total	
	%	%	%	%	No.	%
Negombo	19.8	13.2	67.0	-	262	100.0
Wattala	22.2	22.2	55.6	-	28	100.0
Total	20.1	14.1	65.8	-	290	100.0

Source: Department of Census and Statistics

Table 2.2c: Percentage distribution of **partially damaged housing units (usable)** in affected DS divisions* by condition of the toilet facilities : Gampaha District

Affected DS Division	Condition of the toilet facility					
	Damaged	Not damaged	No latrine	NS [□]	Total	
	%	%	%	%	No.	%
Negombo	21.8	52.9	25.3	-	361	100.0
Wattala	23.5	55.0	21.1	0.4	268	100.0
Total	22.5	53.8	23.5	0.2	629	100.0

Source: Department of Census and Statistics

Table 2.2b: Percentage distribution of **partially damaged housing units (unusable)** in affected DS divisions* by condition of the toilet facilities : Gampaha District

Affected DS Division	Condition of the toilet facility					
	Damaged	Not damaged	No latrine	NS [□]	Total	
	%	%	%	%	No.	%
Negombo	22.6	47.2	30.2	-	56	100.0
Wattala	30.0	23.3	46.7	-	31	100.0
Total	25.3	38.6	36.1	-	87	100.0

Source: Department of Census and Statistics

Note: NS[□] - Not Stated

* Statistics given here are only for the affected DS divisions

** Damaged – Completely damaged, Partially damaged (Unusable), Partially damaged (Usable) building units only were considered damaged.