

**Table 1.4 : Distribution of damaged housing units in the affected GN divisions by type of damage and distance to the sea : Koralaipattu North DS Division of Batticaloe District**

Affected GN Division	Completely Damaged				Partially damaged (Unusable)				Partially damaged (Usable)				Total			
	Within or on the 200m boundary line	Outside the 200m boundary line	Not Identified	Total	Within or on the 200m boundary line	Outside the 200m boundary line	Not Identified	Total	Within or on the 200m boundary line	Outside the 200m boundary line	Not Identified	Total	Within or on the 200m boundary line	Outside the 200m boundary line	Not Identified	Total
Mankerny Central	44	112	0	156	0	16	0	16	0	3	0	3	44	131	0	175
Kayankerny	71	161	0	232	2	41	0	43	0	0	0	0	73	202	0	275
Panichankerny	20	400	0	420	0	51	0	51	0	81	0	81	20	532	0	552
Vaddaval	46	215	0	261	4	13	0	17	0	48	0	48	50	276	0	326
Kirimichai	0	79	0	79	0	109	0	109	0	33	0	33	0	221	0	221
Mankerny South	31	128	0	159	1	16	0	17	1	23	0	24	33	167	0	200
<b>D.S. Div. Total</b>	<b>212</b>	<b>1095</b>	<b>0</b>	<b>1307</b>	<b>7</b>	<b>246</b>	<b>0</b>	<b>253</b>	<b>1</b>	<b>188</b>	<b>0</b>	<b>189</b>	<b>220</b>	<b>1529</b>	<b>0</b>	<b>1749</b>

Source: Department of Census and Statistics